Nanomedicine and Nanoscience Technology: Open Access

Commentary | Volume 2, Issue 1

The Possibility of the Toroidal Examining the Highlights of Bar Transport in a Toroidal Field

Alireza Heidari[1,2,3,4*]

[1]California South University, 14731 Comet St. Irvine, CA 92604, USA
[2]BioSpectroscopy Core Research Laboratory, California South University, 14731 Comet St. Irvine, CA 92604, USA
[3]Cancer Research Institute (CRI), California South University, 14731 Comet St. Irvine, CA 92604, USA
[4]American International Standards Institute, Irvine, CA 3800, USA

***Correspondence:** Faculty of Chemistry. Alireza Heidari, California South University, 14731 Comet St. Irvine, CA 92604, USA

Received Date: Aug 02, 2022 / **Accepted Date:** Aug 10, 2022 / **Published Date:** Aug 16, 2022

Abstract

We depict here a groundbreaking thought of a (enormous supporting casing) for hadron treatment, in light of the utilization of a toroidal field arrangement. The primary highlights of this thought are that the (enormous supporting edge) isn't pivoting, and is worked in consistent state We suggest that is fabricated in light of superconducting magnets, arriving at field levels not (ready to be finished) utilizing (normal/usually and standard/sound) directing iron-managed magnets.

Keywords

Hadrontherapy, Radiotherapy, Cancer, Treatment, Cure, Tumors, Oncology, Particle Therapy

Commentary

We depict here a groundbreaking thought of a (enormous supporting casing) for hadron treatment, in light of the utilization of a toroidal field arrangement. The primary highlights of this thought are that the (enormous supporting edge) isn't pivoting, and is worked in consistent state We suggest that is fabricated in light of superconducting magnets, arriving at field levels not (ready to be finished) utilizing (normal/usually and standard/sound) directing iron-managed magnets. The disentanglement coming about because of the particular attractive arrangement, and the scale decrease that can be (cultivated or acquired with exertion) utilizing high-field superconducting magnets, convey/have a positive (plausibility of/conceivable occurring of) large decrease of aspects and mass. In this paper we present the possibility of the toroidal (enormous supporting casing), examining the highlights of bar transport in a toroidal field. We then give general (things to painstakingly contemplate) on the plan of the loop, and (connected with cautious research or profound thought) scaling of (obviously associated or related) markers like powers and put away energy. At long last, we give an illustration of functional designs for a proton (enormous supporting edge) that can be utilized as a test result for examination with different plans [1-30].

Acknowledgement

This study was supported by the Cancer Research Institute (CRI) Project of Scientific Instrument and Equipment Development, the National Natural Science Foundation of the United Sates, the International Joint BioSpectroscopy Core Research Laboratory (BCRL) Program supported by the California South University (CSU), and the Key project supported by the American International Standards Institute (AISI), Irvine, California, USA.

References

1. Heidari A, Brown C. Study of Composition and Morphology of Cadmium Oxide (CdO) Nanoparticles for Eliminating Cancer Cells. J Nanomed Res. 2015; 2(5)20:2015.
2. Heidari A, Brown C. Study of Surface Morphological, Phytochemical and Structural Characteristics of Rhodium (III) Oxide (Rh_2O_3) Nanoparticles. Int J Pharmacol Phytoche Ethnomed. 2015:1(1):15-19.
3. Heidari A. An Experimental Biospectroscopic Study on Seminal Plasma in Determination of Semen Quality for Evaluation of Male Infertility. Int J Adv Technol. 2016;7: e007.
4. Heidari A. Extraction and Preconcentration of N-Tolyl-Sulfonyl-Phosphoramid-Saeure-Dichlorid as an Anti-Cancer Drug from Plants: A Pharmacognosy Study. J Pharmacogn Nat Prod. 2016;2: e103.
5. Heidari A. A Thermodynamic Study on Hydration and Dehydration of DNA and RNA-Amphiphile Complexes. J Bioeng Biomed Sci. 2016;S:006.
6. Heidari A. Computational Studies on Molecular Structures and Carbonyl and Ketene Groups' Effects of Singlet and Triplet Energies of Azidoketene O=C=CH–NNN and Isocyanatoketene O=C=CH–N=C=O. J Appl Computat Math.2016;5:e142.
7. Heidari A. Study of Irradiations to Enhance the Induces the Dissociation of Hydrogen Bonds between Peptide Chains and Transition from Helix Structure to Random Coil Structure Using ATR–FTIR, Raman and ^{1}HNMR Spectroscopies. J Biomol Res Ther. 2016;5:e146.
8. Heidari A. Future Prospects of Point Fluorescence Spectroscopy, Fluorescence Imaging and Fluorescence Endoscopy in Photodynamic Therapy (PDT) for Cancer Cells. J Bioanal Biomed. 2016;8: e135.
9. Heidari A. A Bio-Spectroscopic Study of DNA Density and Color Role as Determining Factor for Absorbed Irradiation in Cancer Cells. Adv Cancer Prev. 2016;1: e102.
10. Heidari A Manufacturing Process of Solar Cells Using Cadmium Oxide (CdO) and Rhodium (III) Oxide (Rh_2O_3) Nanoparticles. J Biotechnol Biomater.2016;6: e125.
11. Heidari A. A Novel Experimental and Computational Approach to Photobiosimulation of Telomeric DNA/RNA: A Biospectroscopic and Photobiological Study. J Res Development 2016;4:144.
12. Heidari A. Biochemical and Pharmacodynamical Study of Microporous Molecularly Imprinted Polymer Selective for Vancomycin, Teicoplanin, Oritavancin, Telavancin and Dalbavancin Binding. Biochem Physiol. 2016;5:e146.
13. Heidari A. Anti-Cancer Effect of UV Irradiation at Presence of Cadmium Oxide (CdO) Nanoparticles on DNA of Cancer Cells: A Photodynamic Therapy Study. Arch Cancer Res. 2016;4:1.
14. Heidari A. Biospectroscopic Study on Multi–Component Reactions (MCRs) in Two A–Type and B–Type Conformations of Nucleic Acids to Determine Ligand Binding Modes, Binding Constant and Stability of Nucleic Acids in Cadmium Oxide (CdO) Nanoparticles–Nucleic Acids Complexes as Anti–Cancer Drugs. Arch Cancer Res. 2016;4:2.
15. Heidari A.Simulation of Temperature Distribution of DNA/RNA of Human Cancer Cells Using Time–Dependent Bio–Heat Equation and Nd: YAG Lasers. Arch Cancer Res. 2016;4:2.
16. Heidari A. Quantitative Structure–Activity Relationship (QSAR)Approximation for Cadmium Oxide (CdO) and Rhodium (III) Oxide (Rh_2O_3) Nanoparticles as Anti-Cancer Drugs for the Catalytic Formation of Proviral DNA from Viral RNA Using Multiple Linear and Non-Linear Correlation Approach. Ann Clin Lab Res. 2016;4:1.
17. Heidari A. Biomedical Study of Cancer Cells DNA Therapy Using Laser Irradiations at Presence of Intelligent Nanoparticles. J Biomedical Sci. 2016;5:2.
18. Heidari A. Measurement the Amount of Vitamin D2 (Ergocalciferol), Vitamin D3 (Cholecalciferol) and Absorbable Calcium (Ca^{2+}), Iron (II) (Fe^{2+}), Magnesium (Mg^{2+}), Phosphate (PO^{4-}) and Zinc (Zn^{2+}) in Apricot Using High–Performance Liquid Chromatography (HPLC) and Spectroscopic Techniques. J Biom Biostat. 2016;7:292.
19. Heidari A. Spectroscopy and Quantum Mechanics of the Helium Dimer (He^{2+}), Neon Dimer (Ne^{2+}), Argon Dimer (Ar^{2+}), Krypton Dimer (Kr^{2+}), Xenon Dimer (Xe^{2+}), Radon Dimer(Rn^{2+}) and Ununoctium Dimer (Uuo^{2+}) Molecular

Cations. Chem Sci J. 2016;7: e112.

20. Heidari A. Human Toxicity Photodynamic Therapy Studies on DNA/RNA Complexes as a Promising New Sensitizer for the Treatment of Malignant Tumors Using Bio-Spectroscopic Techniques. J Drug Metab Toxicol. 2016;7: e129.
21. Heidari A. Novel and Stable Modifications of Intelligent Cadmium Oxide (CdO) Nanoparticles as Anti–Cancer Drug in Formation of Nucleic Acids Complexes for Human Cancer Cells' Treatment. Biochem Pharmacol (Los Angel) 2016;5: 207.
22. Heidari A. A Combined Computational and QM/MM Molecular Dynamics Study on Boron Nitride Nanotubes (BNNTs), Amorphous Boron Nitride Nanotubes (a–BNNTs) and Hexagonal Boron Nitride Nanotubes (h–BNNTs) as Hydrogen Storage. Struct Chem Crystallogr Commun 2016;2.
23. Heidari A. Pharmaceutical and Analytical Chemistry Study of Cadmium Oxide (CdO) Nanoparticles Synthesis Methods and Properties as Anti–Cancer Drug and Its Effect on Human Cancer Cells. Pharm Anal Chem Open Access. 2016;2:113.
24. Heidari A. A Chemotherapeutic and Biospectroscopic Investigation of the Interaction of Double–Standard DNA/RNA-Binding Molecules with Cadmium Oxide (CdO) and Rhodium (III) Oxide (Rh_2O_3) Nanoparticles as Anti-Cancer Drugs for Cancer Cells' Treatment", Chemo Open Access. 2016;5: e129.
25. Heidari A. Pharmacokinetics and Experimental Therapeutic Study of DNA and Other Biomolecules Using Lasers: Advantages and Applications. J Pharmacokinet Exp Ther. 2016;1:e005.
26. Heidari A. Determination of Ratio and Stability Constant of DNA/RNA in Human Cancer Cells and Cadmium Oxide (CdO) Nanoparticles Complexes Using Analytical Electrochemical and Spectroscopic Techniques. Insights Anal Electrochem 2016;2:1.
27. Heidari A. Discriminate between Antibacterial and Non–Antibacterial Drugs Artificial Neutral Networks of a Multilayer Perceptron (MLP) Type Using a Set of Topological Descriptors. J Heavy Met Toxicity Dis. 2016;1: 2.
28. Heidari A. Combined Theoretical and Computational Study of the Belousov–Zhabotinsky Chaotic Reaction and Curtius Rearrangement for Synthesis of Mechlorethamine, Cisplatin, Streptozotocin, Cyclophosphamide, Melphalan, Busulphan and BCNU as Anti–Cancer Drugs. Insights Med Phys. 2016;1:2.
29. Heidari A. A Translational Biomedical Approach to Structural Arrangement of Amino Acids' Complexes: A Combined Theoretical and Computational Study. Transl Biomed. 2016;7:2.
30. Heidari A. Ab Initio and Density Functional Theory (DFT) Studies of Dynamic NMR Shielding Tensors and Vibrational Frequencies of DNA/RNA and Cadmium Oxide (CdO) Nanoparticles Complexes in Human Cancer Cells. J Nanomedine Biotherapeutic Discov 2016;6: e144.

Citation: Alireza Heidari. The Possibility of the Toroidal Examining the Highlights of Bar Transport in a Toroidal Field. Nanomed Nanosci Technol: Open Access 2022;2(1):1-4.